

# Technical Data Sheet Dycem Contamination Control CZ 01 – CleanZone

Dycem Polymeric Contamination Control flooring is manufactured from a proprietary blend of specially formulated polymeric compounds. The properties of the Dycem materials and the process technology used produce a material with very optically smooth and flexible surface.

#### Colours and sizes:

Midnight, Slate, Green, Red, Cobalt & Titanium. Standard width 1.2mt or 2.0mt

#### Thickness:

2mm +/- 0.1mm

#### **Compliance:**

CE BS EN 14041:2004, REACH and California Proposition 65

#### Co-efficient of friction:

≥ 0.30 in accordance with EN 13893 and shall be declared as Technical class DS

## **Surface Resistivity:**

Resistance to earth 108 ohms (tested to ASTM F150, DIN 51953, BS 2050)

### **Tensile Strength N:**

MD 606, CD 440

#### **Anti Microbial:**

Dycem Contamination Control Flooring solutions are manufactured with Biomaster (a silver antimicrobial) as an integral ingredient, providing effective and lasting antimicrobial protection

Biomaster has been tested for MRSA, Ecoli, Salmonella, Listeria, Camplyobacter plus up to 50 other micro-organisms to inhibit growth by 99.99%

## UV:

No effect. Tested at a presence of 10psi for 10 minutes @ 115°C. Constant exposure will degrade the product

## Skin Reaction(Latex free):

No adverse reaction. After a 48 hour period of constant contact with Dycem material there was no evidence of erythema, edema or any other reaction to skin

# DYCEM LTD

Ashley Trading Estate, Bristol, BS2 9BB, United Kingdom

Tel: +44 (0) 117 955 9921 | Fax: +44 (0)117 954 1194 | Email: contact@dycem.com







# Flammability:

EfIS1 EN 14041:2004

#### **Heat Resistance:**

Working range 0° to 50° C (32°-122°F)

## **Toxicity**

Non Harmful as materials are compliant to REACH and California Proposition 65

# Outgassing

ASTM E-595 at 50° criteria met

## **Load Resistance**

Using a 400kg truck on 4 wheels, each contact area being 25sqcm, the load resistance is 70kg/cm² (1000lbs/psi)

Ashley Trading Estate, Bristol, BS2 9BB, United Kingdom

Tel: +44 (0) 117 955 9921 | Fax: +44 (0)117 954 1194 | Email: contact@dycem.com



