Contec® Sterile IPA

Sterile isopropanol in purified water

Contec[®] Sterile isopropyl alcohol is a ready-to-use IPA solution prefiltered to 0.2 micron and gamma irradiated. Containing USP Grade IPA and USP grade purified water and is designed for use in pharmaceutical, medical device, and other life science industries. Each bottle is doublebagged to ensure sterility and printed with lot number and date of expiration for easy record keeping. Validated sterile to a 10⁻⁶ SAL per ANSI/AAMI/ISO 11137 guidelines.

Note: Sterility validation is performed after trigger sprayer is installed.

A convenient trigger sprayer with settings for stream or mist spraying is included with 16 and 32 oz. bottles. The stream setting is ideal for targeting specific hard to reach areas, while the mist setting is used to cover larger areas. Each leakproof bottle is induction sealed, capped and shipped with an uninstalled trigger sprayer to eliminate the occurrence of leakage. Instructions for sterile installation of the trigger sprayer are available.

Product Application

- Wipe down of isolators, cabinets, laminar flow hoods and surfaces
- Use on gloved hands in sterile suites
- Wipe down products and equipment for pass through to controlled environments
- Ideally suited for use with sterile cleanroom wipe



PDSD004 | 111423

Copyright © 2022 Contec, Inc. All rights reserved.

Contec, Inc. Spartanburg, SC 29303 USA tel: +1-864-503-8333 cleanroom.contecinc.com

Customer Service tel: 1-866-855-4682 cs_cleanroom@contecinc.com



Part No.	Description		Size	Packaging
SB167030IR	Contec Sterile 70% IPA Sterile 70% Isopropyl alcohol with trigger sprayer	Sterile	16 oz. (0.47 L)	12/case
SB327030IR	Contec Sterile 70% IPA Sterile 70% Isopropyl alcohol with trigger sprayer	Sterile	32 oz. (0.95 L)	12/case
SB1287030IR	Contec Sterile 70% IPA Sterile 70% Isopropyl alcohol	Sterile	1 gallon (3.8 L)	4/case
SB128100IR	Contec Sterile IPA Sterile 99% Isopropyl alcohol	Sterile	1 gallon (3.8 L)	4/case

Product Information			
Appearance	Clear, colorless liquid		
Odor	Characteristic alcohol		
Water Quality	Meets the requirements of USP grade deionized water		
% IPA Contents 70% 100%	68.0% - 72.0% 99.0% - 99.99%		
Specific Gravity (20C) 70% 100%	0.872% - 0.883% 0.7861% - 0.7870%		
Packaging materials	Outer bags (OB1, OB2), low density polyethylene (LDPE) 🛟 Case (CS), corrugated fiberboard (PAP) 🛟		
Environment	ISO 3-8 Grade A/B		
Shelf life Unopened Opened	5 years (SB327030, SB1287030) 2 years (SBT167030 and SB128100) 6 months (all)		

LDPE

Recycle Symbols









PP



PDSD004 | 111423

Copyright © 2022 Contec, Inc. All rights reserved.

Contec, Inc. Spartanburg, SC 29303 USA tel: +1-864-503-8333 cleanroom.contecinc.com

Customer Service tel: 1-866-855-4682 cs_cleanroom@contecinc.com



Contec® Disinfectant and Solution Rotation Use everyday Disinfectants on all CvQuanol[™] DAILY surfaces. Sterile CyQuanol[™] PREempt[®] Plus PREempt[®] Concentrate Sporicide Use based ROUTINELY PeridoxRTU® on room environment Sterile PeridoxRTU monitoring. Peridox[®] Concentrate PERIODICALLY Use to remove Detergent built up residue NeutraKlean or when Sterile NeutraKlean needed. RINSE Use after Rinse cleaning and IPA disinfecting. HydroKlean WFI Water

PDSD004 | 111423

Copyright © 2022 Contec, Inc. All rights reserved.

Contec, Inc. Spartanburg, SC 29303 USA tel: +1-864-503-8333 cleanroom.contecinc.com

Customer Service tel: 1-866-855-4682 cs_cleanroom@contecinc.com

