

SEPTIHOL® WFI STERILE ALCOHOL SOLUTION TECHNICAL DATA

GENERAL DESCRIPTION

Septihol WFI Sterile Alcohol Solution is a 70% (v/v) United States Pharmacopeia (USP) Isopropyl Alcohol and 30% (v/v) USP Water for Injection blend that has been filtered to 0.22 micron and gamma irradiated for sterility. Septihol WFI Sterile Alcohol Solution is packaged in an innovative, bag-on-valve aerosol dispensing system which is double-bagged prior to terminal sterilization. Septihol WFI Sterile Alcohol Solution may be used in aseptic processing areas as a final step to accompany cleaning, as it removes residues and has a quick evaporation rate. Septihol WFI Sterile Alcohol Solution may also be used on gloves without compromising the aseptic environment.

FEATURES	BENEFITS
FEATURES	BENEFIIS

Ready-to-use 70% isopropyl alcohol and 30% WFI solution	Provides assurance that use will contribute minimal bioburden to critical areas
Bag-on-valve aerosol dispensing system with spray actuator	Separates product and propellant, permits operation at any angle and improves evacuation of contents
Double bagged package, gamma irradiated by a	Simplifies introduction into critical areas

validated process and USP sterility tested
Filtered to 0.22 micron, Cleanroom Class B (100)

Filtered to 0.22 micron, Cleanroom Class B (100) filled and packaged

Minimizes potential for particles being introduced during use

PHYSICAL PROPERTIES

Form	Liquid
Color	Colorless Liquid
Specific Gravity (20°C [68°F])	0.88 (typical)
Alcohol Concentration	68 - 72% (v/v)
Filtration	0.22 micron
Propellant	Nitrogen
Sterile	SAL of 1 x 10 ⁻⁶

DIRECTIONS FOR USE

Contents Sterile

Sterility is assured unless the package is damaged or unsealed. Aseptic technique is required during opening and usage to ensure sterility. Remove Septihol WFI Sterile Alcohol Solution can from packaging. Hold can upright and spray entire surface. Allow the surface to air dry or wipe as needed. Do not point nozzle toward face or eyes.

This product is flammable. Contents under pressure. Keep away from fire, flame or intense heat. Use with adequate ventilation. If eye watering, headaches, dizziness or nausea occur, discontinue use.

The container-closure assembly is not designed to be refilled and/or resterilized. Properly discard empty container and packaging.

STORAGE AND DISPOSAL

Storage

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty containers. This product should be stored in an area where it will not be exposed to extreme temperatures. Do not store at temperatures above 48°C (120°F).

Disposal

Dispose of empty can and packaging in accordance with local, state and federal regulations.

SERVICE

Sales

Service is one of the most important assurances for consistent quality performance of your operation. STERIS will tailor a service program for your facility that will provide effective and trouble-free operations.

Technical

STERIS is pleased to provide a completely staffed and equipped technical service laboratory capable of performing needed tests and providing both telephone and on-site assistance when needed. More details on how this service can benefit a facility's particular situation can be provided upon request.

PRECAUTIONS

Information concerning human and environmental exposure may be reviewed on the Material Safety Data Sheet (MSDS) for the product. For additional information regarding incidents involving human and environmental exposure, call 314-535-1395.

For further information, please contact:



STERIS Corporation 5960 Heisley Road Mentor, OH 44060-1834 • USA 440-354-2600 • 800-444-9009 www.steris.com