

10 SERIES

CONDUCTIVE VINYL



Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
AL10- VCON	Conductive Vinyl	21"-31"	20"W x 18"D	15"W x 12"H	20"	Polished Aluminum	No	9
AL12- VCON	Conductive Vinyl	17"-22"	20"W x 18"D	15"W x 12"H	No	Polished Aluminum	No	9
PL10- VCON	Conductive Vinyl	21"-31"	20"W x 18"D	15"W x 12"H	20''	Black Nylon	Yes	1
PL12- VCON	Conductive Vinyl	17"-22"	20"W x 18"D	15"W x 12"H	No	Black Nylon	Yes	1

Conductive Seating Features:

Industrial SeatingTMconductive seating insures a safe, static-clear work area. All ISTM conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the ISTM dual resistance system.

Isstat Group IV Vinyls ESD

- Surface Resistence: 10⁷ to 10⁹ Ohms per Square.
- Carbon Filled Inner Layer





Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
AM10- VCON	Conductive Vinyl	21"-31"	20"W x 18"D	16"W x 16"H	20"	Polished Aluminum	No	9
AM12- VCON	Conductive Vinyl	17"-22"	20"W x 18"D	16"W x 16"H	No	Polished Aluminum	No	9
PM10- VCON	Conductive Vinyl	21"-31"	20"W x 18"D	16"W x 16"H	20"	Black Nylon	Yes	1
PM12- VCON	Conductive Vinyl	17"-22"	20"W x 18"D	16"W x 16"H	No	Black Nylon	Yes	1

Conductive Seating Features:

Industrial SeatingTMconductive seating insures a safe, static-clear work area. All ISTM conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the ISTM dual resistance system.

Isstat Group IV Vinyls ESD

- Surface Resistence: 10⁷ to 10⁹ Ohms per Square.
- Carbon Filled Inner Layer



Blue-411 Black-451 Burgandy-461



Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back


MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
AE10- VCON	Conductive Vinyl	21"-31"	20"W x 18"D	19"W x 16.5"H	20"	Polished Aluminum	No	9
AE12- VCON	Conductive Vinyl	17"-22"	20"W x 18"D	19"W x 16.5"H	No	Polished Aluminum	No	9
PE10- VCON	Conductive Vinyl	21"-31"	20"W x 18"D	19"W x 16.5"H	20"	Black Nylon	Yes	1
PE12- VCON	Conductive Vinyl	17"-22"	20"W x 18"D	19"W x 16.5"H	No	Black Nylon	Yes	1

Conductive Seating Features:

Industrial Seating[™]conductive seating insures a safe, static-clear work area. All IS[™] conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IS™ dual resistance system.

Isstat Group IV Vinyls ESD

- Surface Resistence: 10⁷ to 10⁹ Ohms per Square.
- Carbon Filled Inner Layer



Blue-411



Controls	Description
DLC	Height and Back Tilt (This control has two levers for seat height and back angle
ST	Height and Seat and Back Tilt (This control has two levers, one for height adjustment and the other for Seat and Back tilt adjustment and back height with knob
FLC	Three Lever for Individual Lift (Height lever adjustment, seat tilt adjustment back







FR04 FR05 FR06

Footring	Description
FR04	Knobless Nylon Footring 18"
	The Footring is Loosened and Tightened by Turning the Outer Ring. (option for
FR05	Knobless Aluminum with Steel Ring 20"
	The Footring is Loosened and Tightened by Turning the Outer Footring. (option
FR06	Nylon Center with Steel Ring, Footring 18" (option for models 20S, 45, 50 and 60)



Arms	Description
TF-BX-C	Fixed Height and Width, with Chrome Arm Frames & ESD Arm Pads
TA-BX-C	Fixed Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads
TAA-BX-C	Adjustable Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads



Caster	Description	
9B	ESD Braking Caster , Recommended where Chairs may roll to easily when is	
	Not Occupied	
9U	ESD Soft Urethane Caster, Recommended on Tile, Cement and other Hard	
	Surfaces	
9UB	ESD Soft Urethane Braking Caster, Recommended for reduce Mobility when is	
	Not Occupied	
1 1	ESD Nylon Glide, Recommended for use in areas where requiring limited mobility	